

|    |               |       |             |             |            |            |            |
|----|---------------|-------|-------------|-------------|------------|------------|------------|
| 5  | CDV19CF090J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 6  | CD15CD060D03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 6  | CD15CD060D03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 6  | CDV19CF060D03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 7  | CD10CD070D03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 7  | CD15CD070D03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 7  | CDV19CF070D03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 8  | CD10CD080D03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 8  | CD15CD080D03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 8  | CDV19CF080D03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 10 | CD10CD100J03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 10 | CD15CD100J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 10 | CDV19CF100J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 12 | CD10CD120J03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 12 | CD15CD120J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 12 | CDV19CF120J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 15 | CD10CD150J03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 15 | CD15CD150J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |
| 15 | CDV19CF150J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 ( .8) |
| 18 | CD10CD180J03  | 500   | .360 ( 9.1) | .330 ( 8.4) | .190 (4.8) | .141 (3.6) | .016 ( .4) |
| 18 | CD15CD180J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9) | .025 ( .6) |

|    |               |       |             |             |            |             |            |
|----|---------------|-------|-------------|-------------|------------|-------------|------------|
| 24 | CDV19EF240J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 ( .8) |
| 24 | CDV30EH240J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 24 | CDV30EK240J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 27 | CD10ED270J03  | 500   | .370 ( 9.4) | .330 ( 8.4) | .190 (4.8) | .141 (3.6)  | .016 ( .4) |
| 27 | CD15ED270J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9)  | .025 ( .6) |
| 27 | CDV19EF270J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 ( .8) |
| 27 | CDV30EH270J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 27 | CDV30EJ270J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 27 | CDV30EK270J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 30 | CD10ED300J03  | 500   | .370 ( 9.4) | .340 ( 8.6) | .190 (4.8) | .141 (3.6)  | .016 ( .4) |
| 30 | CD15ED300J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9)  | .025 ( .6) |
| 30 | CDV19EF300J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 ( .8) |
| 30 | CDV30EH300J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 30 | CDV30EJ300J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 30 | CDV30EK300J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 33 | CD10ED330J03  | 500   | .370 ( 9.4) | .340 ( 8.6) | .190 (4.8) | .141 (3.6)  | .016 ( .4) |
| 33 | CD15ED330J03  | 500   | .450 (11.4) | .360 ( 9.1) | .170 (4.3) | .234 (5.9)  | .025 ( .6) |
| 33 | CDV19EF330J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 ( .8) |
| 33 | CDV30EH330J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 33 | CDV30EJ330J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |

4.002

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: [cdenb@cornell-dubilier.com](mailto:cdenb@cornell-dubilier.com)

**CDE** **CORNELL DUBILIER**  
 Your Source For Capacitor Solutions



EPW 电子產品世界  
 .com.cn


|    |               |       |             |             |            |             |            |
|----|---------------|-------|-------------|-------------|------------|-------------|------------|
| 68 | CDV30EK680J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 75 | CD10ED750J03  | 500   | .370 (9.4)  | .340 (8.6)  | .200 (5.1) | .141 (3.6)  | .016 (.4)  |
| 75 | CD15ED750J03  | 500   | .450 (11.4) | .360 (9.1)  | .180 (4.6) | .234 (5.9)  | .025 (.6)  |
| 75 | CDV19EF750J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 75 | CDV30EH750J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 75 | CDV30EJ750J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 75 | CDV30EK750J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 82 | CD10ED820J03  | 500   | .370 (9.4)  | .350 (8.9)  | .200 (5.1) | .141 (3.6)  | .016 (.4)  |
| 82 | CD15ED820J03  | 500   | .450 (11.4) | .360 (9.1)  | .180 (4.6) | .234 (5.9)  | .025 (.6)  |
| 82 | CDV19EF820J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 82 | CDV30EH820J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 82 | CDV30EJ820J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 82 | CDV30EK820J03 | 2,500 | .780 (19.8) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 91 | CD10FD910J03  | 500   | .370 (9.4)  | .350 (8.9)  | .200 (5.1) | .141 (3.6)  | .016 (.4)  |
| 91 | CD15FD910J03  | 500   | .460 (11.7) | .360 (9.1)  | .180 (4.6) | .234 (5.9)  | .025 (.6)  |
| 91 | CDV19FF910J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 91 | CDV30FH910J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |

|     |               |       |             |             |            |             |            |
|-----|---------------|-------|-------------|-------------|------------|-------------|------------|
| 220 | CDV30FH221J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 220 | CDV30FJ221J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 240 | CD10FD241J03  | 500   | .390 (9.9)  | .380 (9.7)  | .220 (5.6) | .141 (3.6)  | .016 (.4)  |
| 240 | CD15FD241J03  | 500   | .460 (11.7) | .380 (9.7)  | .200 (5.1) | .234 (5.9)  | .025 (.6)  |
| 240 | CD19FD241J03  | 500   | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 240 | CDV19FF241J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 240 | CDV30FH241J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 240 | CDV30FJ241J03 | 2,000 | .770 (19.6) | .860 (21.8) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 250 | CD10FD251J03  | 500   | .390 (9.9)  | .380 (9.7)  | .220 (5.6) | .141 (3.6)  | .016 (.4)  |
| 250 | CD15FD251J03  | 500   | .470 (11.9) | .390 (9.9)  | .210 (5.3) | .234 (5.9)  | .025 (.6)  |
| 250 | CD19FD251J03  | 500   | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 270 | CD10FC271J03  | 300   | .390 (9.9)  | .380 (9.7)  | .220 (5.6) | .141 (3.6)  | .016 (.4)  |
| 270 | CD19FD271J03  | 500   | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 270 | D105F271J03   | 500   | .390 (9.9)  | .380 (9.7)  | .220 (5.6) | .141 (3.6)  | .016 (.4)  |
| 270 | CD15FD271J03  | 500   | .470 (11.9) | .390 (9.9)  | .210 (5.3) | .234 (5.9)  | .025 (.6)  |
| 270 | CDV19FF271J03 | 1,000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7)  | .032 (.8)  |
| 270 | CDV30FH271J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |

**CDE** **CORNELL DUBILIER**  
Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdensb@cornell-dubilier.com](mailto:cdensb@cornell-dubilier.com)

4.003



EPW 电子产品世界 .com.cn


|     |               |       |             |             |            |             |            |
|-----|---------------|-------|-------------|-------------|------------|-------------|------------|
| 620 | CD15FC621J03  | 300   | .460 (11.7) | .380 (9.7)  | .210 (5.3) | .234 (5.9)  | .025 ( .6) |
| 620 | CD19FD621J03  | 500   | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 ( 8.7) | .032 ( .8) |
| 620 | CDV30FH621J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 620 | CDV30FJ621J03 | 2,000 | .770 (19.6) | .870 (22.1) | .260 (6.6) | .438 (11.1) | .040 (1.0) |
| 620 | CDV30FK621J03 | 2,500 | .780 (19.8) | .870 (22.1) | .270 (6.9) | .438 (11.1) | .040 (1.0) |
| 680 | D103F681J03   | 300   | .390 ( 9.9) | .380 ( 9.7) | .220 (5.6) | .141 ( 3.6) | .016 ( .4) |
| 680 | CD15FC681J03  | 300   | .470 (11.9) | .390 ( 9.9) | .210 (5.3) | .234 ( 5.9) | .025 ( .6) |
| 680 | CD19FD681J03  | 500   | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 ( 8.7) | .032 ( .8) |
| 680 | CDV19FF681J03 | 1,000 | .660 (16.8) | .520 (13.2) | .220 (5.6) | .344 ( 8.7) | .032 ( .8) |
| 680 | CDV30FH681J03 | 1,500 | .770 (19.6) | .850 (21.6) | .250 (6.4) | .438 (11.1) | .040 (1.0) |
| 680 | CDV30FJ681J03 | 2,000 | .770 (19.6) | .870 (22.1) | .260 (6.6) | .438 (11.1) | .040 (1.0) |
| 680 | CDV30FK681J03 | 2,500 | .780 (19.8) | .870 (22.1) | .270 (6.9) | .438 (11.1) | .040 (1.0) |

|      |               |       |             |             |            |             |            |
|------|---------------|-------|-------------|-------------|------------|-------------|------------|
| 1600 | CDV30FH162J03 | 1,500 | .780 (19.8) | .870 (22.1) | .280 (7.1) | .438 (11.1) | .040 (1.0) |
| 1600 | CDV30FJ162J03 | 2,000 | .790 (20.1) | .890 (22.6) | .320 (8.1) | .438 (11.1) | .040 (1.0) |
| 1600 | CDV30FK162J03 | 2,500 | .800 (20.3) | .890 (22.6) | .350 (8.9) | .438 (11.1) | .040 (1.0) |
| 1800 | CD19FD182J03  | 500   | .670 (17.0) | .530 (13.5) | .240 (6.1) | .344 ( 8.7) | .032 ( .8) |
| 1800 | CDV19FF182J03 | 1,000 | .680 (17.3) | .550 (14.0) | .290 (7.4) | .344 ( 8.7) | .032 ( .8) |
| 1800 | CDV30FH182J03 | 1,500 | .780 (19.8) | .870 (22.1) | .290 (7.4) | .438 (11.1) | .040 (1.0) |
| 1800 | CDV30FJ182J03 | 2,000 | .790 (20.1) | .890 (22.6) | .340 (8.6) | .438 (11.1) | .040 (1.0) |
| 1800 | CDV30FK182J03 | 2,500 | .810 (20.6) | .900 (22.9) | .370 (9.4) | .438 (11.1) | .040 (1.0) |
| 2000 | CD19FD202J03  | 500   | .670 (17.0) | .530 (13.5) | .240 (6.1) | .344 ( 8.7) | .032 ( .8) |
| 2000 | CD30FD202J03  | 500   | .770 (19.6) | .850 (21.6) | .240 (6.1) | .438 (11.1) | .040 (1.0) |
| 2000 | CDV19FF202J03 | 1,000 | .680 (17.3) | .560 (14.2) | .300 (7.6) | .344 ( 8.7) | .032 ( .8) |
| 2000 | CDV30FH202J03 | 1,500 | .780 (19.8) | .870 (22.1) | .300 (7.6) | .438 (11.1) | .040 (1.0) |

4.004

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: cdenb@cornell-dubilier.com

**CDE** **CORNELL**  
**DUBILIER**  
 Your Source For Capacitor Solutions



EPW 电子产品世界  
 .com.cn

|      |               |       |             |             |             |             |            |
|------|---------------|-------|-------------|-------------|-------------|-------------|------------|
| 5000 | CD19FD502J03  | 500   | .710 (18.0) | .590 (15.0) | .370 (9.4)  | .344 ( 8.7) | .032 ( .8) |
| 5000 | CD30FD502J03  | 500   | .780 (19.8) | .860 (21.8) | .280 ( 7.1) | .438 (11.1) | .040 (1.0) |
| 5000 | CDV30FH502J03 | 1,500 | .810 (20.6) | .900 (22.9) | .380 ( 9.7) | .438 (11.1) | .040 (1.0) |
| 5100 | CD19FD512J03  | 500   | .710 (18.0) | .590 (15.0) | .370 ( 9.4) | .344 ( 8.7) | .032 ( .8) |
| 5100 | CD30FD512J03  | 500   | .780 (19.8) | .860 (21.8) | .280 ( 7.1) | .438 (11.1) | .040 (1.0) |
| 5100 | CDV30FH512J03 | 1,000 | .790 (20.1) | .880 (22.4) | .330 ( 8.4) | .438 (11.1) | .040 (1.0) |
| 5100 | CDV30FH512J03 | 1,500 | .810 (20.6) | .900 (22.9) | .390 ( 9.9) | .438 (11.1) | .040 (1.0) |
| 5600 | CD19FC562J03  | 300   | .680 (17.3) | .560 (14.2) | .310 ( 7.9) | .344 ( 8.7) | .032 ( .8) |
| 5600 | CD30FD562J03  | 500   | .780 (19.8) | .870 (22.1) | .290 ( 7.4) | .438 (11.1) | .040 (1.0) |
| 5600 | CDV30FF562J03 | 1,000 | .800 (20.3) | .890 (22.6) | .340 ( 8.6) | .438 (11.1) | .040 (1.0) |
| 5600 | CDV30FH562J03 | 1,500 | .820 (20.8) | .910 (23.1) | .400 (10.2) | .438 (11.1) | .040 (1.0) |
| 6200 | CD19FC622J03  | 300   | .690 (17.5) | .560 (14.2) | .320 ( 8.1) | .344 ( 8.7) | .032 ( .8) |

|       |              |     |              |             |             |              |            |
|-------|--------------|-----|--------------|-------------|-------------|--------------|------------|
| 62000 | CD42FC623J03 | 300 | 1.470 (37.3) | .920 (23.4) | .450 (11.4) | 1.063 (27.0) | .040 (1.0) |
| 68000 | CD42FC683J03 | 300 | 1.480 (37.6) | .920 (23.4) | .470 (11.9) | 1.063 (27.0) | .040 (1.0) |
| 75000 | CD42FA753J03 | 100 | 1.470 (37.3) | .910 (23.1) | .440 (11.2) | 1.063 (27.0) | .040 (1.0) |
| 82000 | CD42FA823J03 | 100 | 1.480 (37.6) | .920 (23.4) | .460 (11.7) | 1.063 (27.0) | .040 (1.0) |
| 91000 | CD42FA913J03 | 100 | 1.500 (38.1) | .940 (23.9) | .500 (12.7) | 1.063 (27.0) | .040 (1.0) |



Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: [cdenb@cornell-dubilier.com](mailto:cdenb@cornell-dubilier.com)

4.005



EEPW 电子产品世界 .com.cn