

5	CDV19CF090J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
6	CD15CD060D03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
6	CD15CD060D03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
6	CDV19CF060D03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
7	CD10CD070D03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
7	CD15CD070D03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
7	CDV19CF070D03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
8	CD10CD080D03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
8	CD15CD080D03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
8	CDV19CF080D03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
10	CD10CD100J03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
10	CD15CD100J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
10	CDV19CF100J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
12	CD10CD120J03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
12	CD15CD120J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
12	CDV19CF120J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
15	CD10CD150J03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
15	CD15CD150J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
15	CDV19CF150J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
18	CD10CD180J03	500	.360 ( 9.1)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
18	CD15CD180J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)

24	CDV19EF240J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
24	CDV30EH240J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
24	CDV30EK240J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
27	CD10ED270J03	500	.370 ( 9.4)	.330 ( 8.4)	.190 (4.8)	.141 (3.6)	.016 ( .4)
27	CD15ED270J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
27	CDV19EF270J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
27	CDV30EH270J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
27	CDV30EJ270J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
27	CDV30EK270J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
30	CD10ED300J03	500	.370 ( 9.4)	.340 ( 8.6)	.190 (4.8)	.141 (3.6)	.016 ( .4)
30	CD15ED300J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
30	CDV19EF300J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
30	CDV30EH300J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
30	CDV30EJ300J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
30	CDV30EK300J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
33	CD10ED330J03	500	.370 ( 9.4)	.340 ( 8.6)	.190 (4.8)	.141 (3.6)	.016 ( .4)
33	CD15ED330J03	500	.450 (11.4)	.360 ( 9.1)	.170 (4.3)	.234 (5.9)	.025 ( .6)
33	CDV19EF330J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 ( .8)
33	CDV30EH330J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
33	CDV30EJ330J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)

4.002

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: [cdenb@cornell-dubilier.com](mailto:cdenb@cornell-dubilier.com)

**CDE** **CORNELL DUBILIER**  
 Your Source For Capacitor Solutions



EPW 电子产品世界 .com.cn


68	CDV30EK680J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
75	CD10ED750J03	500	.370 (9.4)	.340 (8.6)	.200 (5.1)	.141 (3.6)	.016 (.4)
75	CD15ED750J03	500	.450 (11.4)	.360 (9.1)	.180 (4.6)	.234 (5.9)	.025 (.6)
75	CDV19EF750J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
75	CDV30EH750J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
75	CDV30EJ750J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
75	CDV30EK750J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
82	CD10ED820J03	500	.370 (9.4)	.350 (8.9)	.200 (5.1)	.141 (3.6)	.016 (.4)
82	CD15ED820J03	500	.450 (11.4)	.360 (9.1)	.180 (4.6)	.234 (5.9)	.025 (.6)
82	CDV19EF820J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
82	CDV30EH820J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
82	CDV30EJ820J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
82	CDV30EK820J03	2,500	.780 (19.8)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
91	CD10FD910J03	500	.370 (9.4)	.350 (8.9)	.200 (5.1)	.141 (3.6)	.016 (.4)
91	CD15FD910J03	500	.460 (11.7)	.360 (9.1)	.180 (4.6)	.234 (5.9)	.025 (.6)
91	CDV19FF910J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
91	CDV30FH910J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)

220	CDV30FH221J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
220	CDV30FJ221J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
240	CD10FD241J03	500	.390 (9.9)	.380 (9.7)	.220 (5.6)	.141 (3.6)	.016 (.4)
240	CD15FD241J03	500	.460 (11.7)	.380 (9.7)	.200 (5.1)	.234 (5.9)	.025 (.6)
240	CD19FD241J03	500	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
240	CDV19FF241J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
240	CDV30FH241J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
240	CDV30FJ241J03	2,000	.770 (19.6)	.860 (21.8)	.250 (6.4)	.438 (11.1)	.040 (1.0)
250	CD10FD251J03	500	.390 (9.9)	.380 (9.7)	.220 (5.6)	.141 (3.6)	.016 (.4)
250	CD15FD251J03	500	.470 (11.9)	.390 (9.9)	.210 (5.3)	.234 (5.9)	.025 (.6)
250	CD19FD251J03	500	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
270	CD10FC271J03	300	.390 (9.9)	.380 (9.7)	.220 (5.6)	.141 (3.6)	.016 (.4)
270	CD19FD271J03	500	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
270	D105F271J03	500	.390 (9.9)	.380 (9.7)	.220 (5.6)	.141 (3.6)	.016 (.4)
270	CD15FD271J03	500	.470 (11.9)	.390 (9.9)	.210 (5.3)	.234 (5.9)	.025 (.6)
270	CDV19FF271J03	1,000	.640 (16.3)	.500 (12.7)	.190 (4.8)	.344 (8.7)	.032 (.8)
270	CDV30FH271J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)

**CDE** **CORNELL DUBILIER**  
Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdens@cornell-dubilier.com](mailto:cdens@cornell-dubilier.com)

4.003



EPW 电子产品世界 .com.cn


620	CD15FC621J03	300	.460 (11.7)	.380 (9.7)	.210 (5.3)	.234 (5.9)	.025 ( .6)
620	CD19FD621J03	500	.650 (16.5)	.510 (13.0)	.200 (5.1)	.344 (8.7)	.032 ( .8)
620	CDV30FH621J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
620	CDV30FJ621J03	2,000	.770 (19.6)	.870 (22.1)	.260 (6.6)	.438 (11.1)	.040 (1.0)
620	CDV30FK621J03	2,500	.780 (19.8)	.870 (22.1)	.270 (6.9)	.438 (11.1)	.040 (1.0)
680	D103F681J03	300	.390 (9.9)	.380 (9.7)	.220 (5.6)	.141 (3.6)	.016 ( .4)
680	CD15FC681J03	300	.470 (11.9)	.390 (9.9)	.210 (5.3)	.234 (5.9)	.025 ( .6)
680	CD19FD681J03	500	.650 (16.5)	.510 (13.0)	.210 (5.3)	.344 (8.7)	.032 ( .8)
680	CDV19FF681J03	1,000	.660 (16.8)	.520 (13.2)	.220 (5.6)	.344 (8.7)	.032 ( .8)
680	CDV30FH681J03	1,500	.770 (19.6)	.850 (21.6)	.250 (6.4)	.438 (11.1)	.040 (1.0)
680	CDV30FJ681J03	2,000	.770 (19.6)	.870 (22.1)	.260 (6.6)	.438 (11.1)	.040 (1.0)
680	CDV30FK681J03	2,500	.780 (19.8)	.870 (22.1)	.270 (6.9)	.438 (11.1)	.040 (1.0)

1600	CDV30FH162J03	1,500	.780 (19.8)	.870 (22.1)	.280 (7.1)	.438 (11.1)	.040 (1.0)
1600	CDV30FJ162J03	2,000	.790 (20.1)	.890 (22.6)	.320 (8.1)	.438 (11.1)	.040 (1.0)
1600	CDV30FK162J03	2,500	.800 (20.3)	.890 (22.6)	.350 (8.9)	.438 (11.1)	.040 (1.0)
1800	CD19FD182J03	500	.670 (17.0)	.530 (13.5)	.240 (6.1)	.344 (8.7)	.032 ( .8)
1800	CDV19FF182J03	1,000	.680 (17.3)	.550 (14.0)	.290 (7.4)	.344 (8.7)	.032 ( .8)
1800	CDV30FH182J03	1,500	.780 (19.8)	.870 (22.1)	.290 (7.4)	.438 (11.1)	.040 (1.0)
1800	CDV30FJ182J03	2,000	.790 (20.1)	.890 (22.6)	.340 (8.6)	.438 (11.1)	.040 (1.0)
1800	CDV30FK182J03	2,500	.810 (20.6)	.900 (22.9)	.370 (9.4)	.438 (11.1)	.040 (1.0)
2000	CD19FD202J03	500	.670 (17.0)	.530 (13.5)	.240 (6.1)	.344 (8.7)	.032 ( .8)
2000	CD30FD202J03	500	.770 (19.6)	.850 (21.6)	.240 (6.1)	.438 (11.1)	.040 (1.0)
2000	CDV19FF202J03	1,000	.680 (17.3)	.560 (14.2)	.300 (7.6)	.344 (8.7)	.032 ( .8)
2000	CDV30FH202J03	1,500	.780 (19.8)	.870 (22.1)	.300 (7.6)	.438 (11.1)	.040 (1.0)

4.004

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdenb@cornell-dubilier.com](mailto:cdenb@cornell-dubilier.com)

**CDE** **CORNELL  
DUBILIER**  
Your Source For Capacitor Solutions



EPW 电子产品世界  
.com.cn


5000	CD19FD502J03	500	.710 (18.0)	.590 (15.0)	.370 (9.4)	.344 ( 8.7)	.032 ( .8)
5000	CD30FD502J03	500	.780 (19.8)	.860 (21.8)	.280 ( 7.1)	.438 (11.1)	.040 (1.0)
5000	CDV30FH502J03	1,500	.810 (20.6)	.900 (22.9)	.380 ( 9.7)	.438 (11.1)	.040 (1.0)
5100	CD19FD512J03	500	.710 (18.0)	.590 (15.0)	.370 ( 9.4)	.344 ( 8.7)	.032 ( .8)
5100	CD30FD512J03	500	.780 (19.8)	.860 (21.8)	.280 ( 7.1)	.438 (11.1)	.040 (1.0)
5100	CDV30FH512J03	1,000	.790 (20.1)	.880 (22.4)	.330 ( 8.4)	.438 (11.1)	.040 (1.0)
5100	CDV30FH512J03	1,500	.810 (20.6)	.900 (22.9)	.390 ( 9.9)	.438 (11.1)	.040 (1.0)
5600	CD19FC562J03	300	.680 (17.3)	.560 (14.2)	.310 ( 7.9)	.344 ( 8.7)	.032 ( .8)
5600	CD30FD562J03	500	.780 (19.8)	.870 (22.1)	.290 ( 7.4)	.438 (11.1)	.040 (1.0)
5600	CDV30FF562J03	1,000	.800 (20.3)	.890 (22.6)	.340 ( 8.6)	.438 (11.1)	.040 (1.0)
5600	CDV30FH562J03	1,500	.820 (20.8)	.910 (23.1)	.400 (10.2)	.438 (11.1)	.040 (1.0)
6200	CD19FC622J03	300	.690 (17.5)	.560 (14.2)	.320 ( 8.1)	.344 ( 8.7)	.032 ( .8)

62000	CD42FC623J03	300	1.470 (37.3)	.920 (23.4)	.450 (11.4)	1.063 (27.0)	.040 (1.0)
68000	CD42FC683J03	300	1.480 (37.6)	.920 (23.4)	.470 (11.9)	1.063 (27.0)	.040 (1.0)
75000	CD42FA753J03	100	1.470 (37.3)	.910 (23.1)	.440 (11.2)	1.063 (27.0)	.040 (1.0)
82000	CD42FA823J03	100	1.480 (37.6)	.920 (23.4)	.460 (11.7)	1.063 (27.0)	.040 (1.0)
91000	CD42FA913J03	100	1.500 (38.1)	.940 (23.9)	.500 (12.7)	1.063 (27.0)	.040 (1.0)

**CDE** **CORNELL DUBILIER**  
Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdens@cornell-dubilier.com](mailto:cdens@cornell-dubilier.com)

4.005



**EEPW** 电子产品世界  
.com.cn