



GENERAL DESCRIPTION 功能敘述

The M1EA is a CMOS ASIC encoder. It will en-code 12 parallel data inputs and serially transmit them to the output when transmit enable (\overline{TE}) depressed. These address inputs are 2 states i.e. LOW (0) or OPEN (1).

FEATURES 產品特長

Same Rosc matched to the Decoder M1DA/FA.

$2^{12} = 4,096$ codes.

4 cycles transmission each time.


Direct data transmit type : (Eliminating \overline{TE} and diodes).

M1EA-H : switch to VDD.

APPLICATIONS 產品應用

Car/home alarm system, garage control etc..

BLOCK DIAGRAM 功能方塊圖



*All specs and applications shown above subject to change without prior notice.
(以上電路及規格僅供參考,本公司得逕行修正)



ABSOLUTE MAXIMUM RATING

(TA=25)


Parameter	Rating	Unit
Supply Voltage	-0.3 to 12	V
Input Voltage	-0.2~V _{DD} +0.2	V
Operating Temperature	0 to 70	
Storage Temperature	-50 to 125	

ELECTRICAL CHARACTERISTICS

Characteristics	Sym.	Min.	Typ.	Max.	Unit	Conditions
Operating Voltage	V _{DD}	2.4		12	V	
Operating Current	I _{OP}		0.1	1	mA	No load
Quiescent Current	I _{SB}		0.1	0.5	μA	
Output Drive Current	I _O		2		mA	@ V _{DS} =1.2V
Input Voltage	V _{IH}	V _{DD} -0.2	V _{DD}	V _{DD}	V	
	V _{IL}	V _{SS}	V _{SS}	V _{SS} +0.2		
Oscillator Frequency	Fosc		76		KHz	External ±30%

PIN DESCRIPTION


No.	Name	Description
1~8	A0~A7	Address inputs
9	VSS	Negative power supply
10~13	A8~A11	Address inputs
14	\overline{TE}	Transmit enable
15	Y	Oscillator output
16	X	Oscillator input
17	DO	Data output
18	VDD	Positive power supply






TIMING WAVEFORM


(1) BIT FORMAT



(2) TIMING DIAGRAM



M1EA F-V curve






2 STATES ENCODER

2 態編碼 IC

OPERATING FLOWCHART





RECONNENDED OSCILLATOR PARAMETERS


Rosc (K)	M1EA/DA/FA (KHz)
75	261
82	241
91	220
100	203
120	168
150	133
180	113
200	101
220	94
270	75
300	67
330	63
360	56

DATA OUTPUT

M1EA (D0-D3)	M1DA/FA (D0-D3)
0 (VSS)	1 (VDD)
1 (OPEN)	0 (VSS)

Freq-Rosc Chart

(@Vdd=12V)



◇ M1EA/DA/FA



APPLICATION DIAGRAM 參考電路圖

